




CASSERO



FORMWORK

The natural imprint of wood veins
via the cast work of wooden formwork
a hallmark that celebrates the marriage
between primeval and modern
architectural technology.



CASSERO

FORMWORK

CASSERO celebrates the raw aesthetic of concrete by paying homage to wood formwork that casts wood-vein-imprint textures onto exposed concrete finish - coalescing the best of both worlds on a single surface, symbolising unity in cross-millennia architectural technology design.

The natural imprint of wood veins via the cast work of wooden formwork- a hallmark that celebrates the marriage between primeval and modern architectural technology.



- CASSERO**BIANCO**
- CASSERO**GREY**
- CASSERO**BLACK**

CASSEROBIANCO

Glisten up your space with gorgeous Bianco with its occasional wood creases mirroring the wood formwork. CASSERO BIANCO is excellent flooring choice to evoke a bright, sleek and tidy interior space - a purist approach at its best.

surface ● matte
format ● 60 X 120cm / 24" X 48"
thickness ● 1cm
randomness ● 6 faces



surface ● grip
format ● 60 X 60cm / 24" X 24"
thickness ● 2cm
randomness ● 12 faces

surface ● matte
format ● 60 X 60cm / 24" X 24"
thickness ● 1cm
randomness ● 12 faces



CASSEROGREY

Dramatic and captivating, CASSERO Grey adds depth to your space with its ravishing and contrasting veinal surface as a result of firm casting of good formwork-works perfectly with any interior pieces of your preferred style.

surface ● matte
format ● 60 X 120cm / 24" X 48"
thickness ● 1cm
randomness ● 6 faces



surface ● grip
format ● 60 X 60cm / 24" X 24"
thickness ● 2cm
randomness ● 12 faces

surface ● matte
format ● 60 X 60cm / 24" X 24"
thickness ● 1cm
randomness ● 12 faces



CASSEROBLACK


CASSERO Black's dusky base tone with greyish strokes transposes your space a notch higher in the scale of opulence. Hit the right note with bold furniture pieces and your interior couldn't get swankier.


surface ● matte
format ● 60 X 120cm / 24" X 48"
thickness ● 1cm
randomness ● 6 faces




surface ● grip
format ● 60 X 60cm / 24" X 24"
thickness ● 2cm
randomness ● 12 faces

surface ● matte
format ● 60 X 60cm / 24" X 24"
thickness ● 1cm
randomness ● 12 faces











TECHNICAL SPECIFICATIONS

TECHNICAL FEATURES	EURO STANDARD	TEST METHOD	CASSERO ACTUAL VALUE		
			600x600x20mm	600x600x10mm	600x1200x10mm
Water Absorption	≤0.5%	UNI EN ISO 10545-3	0.05%	0.08%	0.08%
Breaking Strength	≥1300N	UNI EN ISO 10545-4	>9114N	2356N	3690N
Abrasion Resistance	-	UNI EN ISO 10545-7	Class 3	Class 3	Class 3
Modulus of Rupture	≥35	UNI EN ISO 10545-4	>42	42	38.6
Slipperiness	Declared Value	DIN 51130	R11	R10	R10
Thermal Shock Resistance	Testing Method Available	UNI EN ISO 10545-9	Conform	Conform	>
Frost-Resistance	Testing Method Available	UNI EN ISO 10545-12	Conform	Conform	Conform
Chemical Resistance	Testing Method Available	UNI EN ISO 10545-13	Class A	Class A	Class A
Stain Resistance	≥ class 3	UNI EN ISO 10545-14	Class 5	Class 5	Class 5

Colour Variations: Since the colour reproduction in this printed piece will vary from the actual tile colours, final selection should be made from tile samples. Colour, shade and glaze variations may exist due to the inherent characteristics of porcelain tile.

PACKING SPECIFICATIONS

SIZE (mm)	BOX			PALLET				CONTAINER			
	PCS	SQM	KG	CTN	SQM	KG	SIZE	PLT	CTN	SQM	G.W.
600 x 1200 x 10	2	1.44	34.5	35	50.4	1208	96X124	21	735	1058.4	25358
600 x 600 x 10	4	1.44	32	36	51.84	1152	110X110	22	792	1140.48	25344
600 x 600 x 20	2	0.72	34	36	25.92	1224	110X110	22	792	570.24	26928

QUANTUM
TILES. STONE. CORK.

Improving life's spaces.

0800 525 585
hello@qcg.co.nz

Palmerston North Showroom
20 Kaimanawa Street, Kelvin Grove

Auckland Showroom
21 Davis Crescent, Newmarket

in @ f

www.qcg.nz

